



## PWE



## Nominal Dimensions &amp; Machining Tolerances

Claron Part Number	Refer Seal Selection $\text{Ød}_1$	+0.005 -0.000 $\text{ØD}_1$	+0.005 -0.000 $\text{ØD}_2$	+0.005 - 0.000 $L_1$	Nominal $L_2$
PWE 100137	1.000	1.385	1.082	0.195	0.343
PWE 125162	1.250	1.635	1.332	0.195	0.343
PWE 137175	1.375	1.760	1.457	0.195	0.343
PWE 150187	1.500	1.885	1.582	0.195	0.343
PWE 162200	1.625	2.010	1.707	0.195	0.343
PWE 175212	1.750	2.135	1.832	0.195	0.343
PWE 200237	2.000	2.385	2.082	0.195	0.343
PWE 250287	2.500	2.885	2.582	0.195	0.343
PWE 300350	3.000	3.510	3.157	0.255	0.468
PWE 362412	3.625	4.135	3.782	0.255	0.468
PWE 400450	4.000	4.510	4.157	0.255	0.468
PWE 475525	4.750	5.260	4.907	0.255	0.468